

**MATERIAL SAFETY DATA SHEET****QuickBayt Fly Bait**

Date MSDS prepared: August 30, 2004

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: QuickBayt Fly Bait
Other names: None
Product code: 350 g - 6331599
Recommended use: Granular bait for nuisance fly control.
Supplier: Bayer Environmental Science – A Business Group of Bayer CropScience
Address: Mid Plaza I Bldg 11th floor
 Jl. Jend. Sudirman Kav. 10 – 11, Jakarta 10220, Indonesia
Telephone: (62 - 21) 570 3661
Facsimile: (62 - 21) 5790 7062
Emergency Telephone Number: 0 8001 801 801

2. HAZARDS IDENTIFICATION**NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD**

Not flammable.

Hazard designation: Not classified as hazardous according to criteria of NOHSC Australia
Risk phrases: Not applicable
Safety phrases: Not applicable
ADG classification: Not classified as "dangerous goods" for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
SUSDP classification: Exempt

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/kg):
Imidacloprid	[138261-41-3]	5 g/kg
(Z)-9-tricosene	27519-0204	10 g/kg
Inert constituents	Various	985 g/kg

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor, and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Inhalation: The presentation as a granule means inhalation is unlikely. The strong odour associated with the product is due to the food-flavouring attractant blends in the formulation and is not associated with the active ingredient.

Skin contact: Wash skin immediately with copious amounts of soap and water.

MATERIAL SAFETY DATA SHEET

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

Eye contact: Rinse eyes immediately with running water for 15 minutes.

Ingestion: This product contains a taste deterrent and ingestion of large quantities is unlikely. The product has low toxicity by the oral route.

First Aid Facilities: Provide washing facilities in the workplace.

Symptoms: In the unlikely event of ingestion of sufficient quantities of the product to cause poisoning;

symptoms of intoxication that may arise include: apathetic state, depressed muscular tone, respiratory disturbance and trembling. Muscular cramps are also possible in severe cases of poisoning.

Medical attention: Apply basic aid and decontamination procedures. Treat symptoms.

5. FIRE FIGHTING MEASURES

Extinguishing media: Carbon dioxide, water, dry agent, foam

Hazards from combustion products:

No information available.

Precautions for fire fighters:

Fight fire in the early stages if safe to do so. Wear respiratory protection.

Well ventilated areas: wear full face mask with combination filter eg., ABEK-P2 (offers no protection from carbon monoxide)

Enclosed premises: wear respirator with independent air supply.

Make provision for product and fire-fighting water to be retained.

6. ACCIDENTAL RELEASE MEASURES

If spillage occurs, prevent spillage from spreading or entering waterways and underground drains.

Sweep up spillage and place in a sealable container.

On completion of clean-up, scrub area with detergent and water and rinse with water.

Do not smoke, eat or drink during clean-up operations.

7. HANDLING AND STORAGE

Handling: Keep out of reach of children.

Storage:

Store below 30°C

Do not store in direct sunlight. Store in the closed, original carton in a cool place.

Do not destroy carton while product remains.

MATERIAL SAFETY DATA SHEET

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: NOHSC exposure standards have not been established for imidacloprid or for any of the inert constituents of this formulation.

Engineering controls: No engineering controls are required in the normal use of this product.

Personal Protective

Equipment:

Wear gloves during handling of product.

Wash hands after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale red granules
Odour:	Strong characteristic (cheese like) smell
Vapour pressure:	4×10^{-7} mPa at 20° C (imidacloprid)
Vapour density:	Not available
Boiling point:	Not available
Solubility:	Not soluble in water
Density:	0.55 – 0.70 g/mL
pH:	5.5 – 6.5 at 1% in water
Flash Point:	No flash point up to 100°C.
Solid products combustibility	BZ 5 = burning with flames or flying sparks
Auto-ignition temperature:	355°C
Octanol/water partition coefficient:	<i>Imidacloprid</i> : $\text{Log } P_{ow} = 0.57$ (21° C)
Formulation:	Granular Bait (GB)

10. STABILITY AND REACTIVITY

Chemical stability: Product is not classified as flammable.

Hazardous

polymerisation: None

Conditions to avoid: Keep away from sources of ignition and strong oxidising agents as a precaution.

Incompatible

materials: Not available

Hazardous

decomposition

products: No information available.

MATERIAL SAFETY DATA SHEET

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: Presentation as a non-dusty granule mean inhalation is unlikely. The product does have a

strong odour associated with it which some people may find offensive. This odour is associated with some flavourings in the bait and not the active ingredient.

Skin contact: Studies have shown no potential for skin irritation.

Eye contact: Eye irritation may occur if contact occurs.

Ingestion: The product exhibits low toxicity by the oral route.

Other: None

ANIMAL TOXICITY DATA – PRODUCT:

Acute:

Oral toxicity: LD₅₀ rat: > 2500 mg/kg

Dermal toxicity: LD₅₀ rat: > 2000 mg/kg

Inhalation toxicity: Not applicable

Skin irritation: Not irritating – rabbit

Eye irritation: Not irritating – rabbit (according to EC-Commission directive 67/548/EEC)

Sensitisation: Not sensitising - guinea pig

Chronic:

Animal studies show no evidence of oncogenic effect, no evidence of carcinogenic effects and no teratogenic potential for imidacloprid.

12. ECOLOGICAL INFORMATION

Imidacloprid is toxic to certain aquatic species. Dangerous to bees.

Do not contaminate ponds, waterways or drains with the product or used containers.

Fish toxicity: Imidacloprid:

Fish toxicity:

LC₅₀: 237 mg/L (96 h); golden orfe (*Leuciscus idus melanotis*)

LC₅₀: 211 mg/L (96 h); rainbow trout (*Oncorhynchus mykiss*)

LC₅₀: 280 mg/L (96 h); carp (*Cyprinus carpio*)

Aquatic invertebrate toxicity:

EC₅₀: 0.055 mg/L (48 h); *Hyalella azteca*

EC₅₀: 85 mg/L (48 h) *Daphnia magna*

Algae toxicity:

EC₅₀: > 100 mg/L (72 h); green alga (*Pseudokirchneriella subcapitata*)

Bacteria toxicity:

EC₅₀: > 10000 mg/L; activated sludge (OECD 209)

Bird toxicity:

Acute oral LD₅₀: 31 mg/kg; Japanese quail

Acute oral LD₅₀: 152 mg/kg; bobwhite quail

**Environmental fate,
persistence and**

MATERIAL SAFETY DATA SHEET

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

degradation:

Imidacloprid shows a medium adsorption to soil. Classified as immobile in soil. Not expected to leach.

13. DISPOSAL CONSIDERATIONS

1) After intended use:

350 g pack: Shake container empty when completing use and dispose of empty container by wrapping with paper and putting in the garbage.

2 Kg Pack: Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

2) After spill or accident:

Dispose of sealed containers at an approved local disposal site.

14. TRANSPORT INFORMATION

UN number: Not applicable

Proper shipping name:

Not applicable

Class and

Subsidiary Risk:

Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

Packing Group: Not applicable

EPG: Not applicable

Hazchem code: Not applicable

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988
APVMA Approval Number: 57892

16. OTHER INFORMATION

Trademark information:

QuickBayt® is a Registered Trademark of Bayer

MATERIAL SAFETY DATA SHEET

QuickBayt Fly Bait

Date MSDS prepared: August 30, 2004

Preparation information:

First edition.

Data sources: Bayer CropScience Pty Ltd product safety data and published data
This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS